ARES-2 Series

Adjustable desk stands for industrial applications

ARES-2414X

VESA 75x75 mm MAX ~13 kg Color Options:

Specifications

Net Weight		1.61 Kg (3.55lbs)
Dimension (W x H x D)		203 x 213 x 227 mm (7.99" x 8.39" x 8.94")
Screw Type		M4
Material		Steel/Plastic/Zinc
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦ 17"
	Support Max. Weight	13kg (28.7lbs)
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2414X-S150200	White	Table Stand, support 10" ~17", max. support 13 kg, 75 x 75 / 100 x100 mm
ARES-2414X-S150201	Black	Table Stand, support 10" ~17", max. support 13 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm





Tilt

Cable Management

ARES-2423X

VESA 100x100 mm/ 75x75 mm MAX ~13 kg Color Options:

Specifications

Net Weight		1.40 kg (3.09lbs)
Dimension (W x H x D)		203 x 225 x 227 mm (7.99" x 8.86" x 8.94")
Screw Type		M4
Material		Steel/Aluminum/Plastic
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦ 17"
	Support Max. Weight	13kg(28.7lbs)
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2423X-S151000	White	Table Stand, support 10" ~17", max. support 13 kg, 75 x 75 / 100 x100 mm
ARES-2423X-S151001	Black	Table Stand, support 10" ~17", max. support 13 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm





Tilt

Cable Management

All product specifications are subject to change without notice

Last updated: 27-Jul-2022

ARES-2 Series

Adjustable desk stands for industrial applications

ARES-2424X

VESA 100x100 mm/ 75x75 mm | MAX 15 kg | Color Options:

Specifications

Net Weight		1.54 Kg (3.40 lbs)
Dimension (W x H x D)		203 x 275 x 227mm (8" x 10.83" x 8.94")
Screw Type		M4
Material		Steel/Aluminum Alloy/Plastic
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦21.5"
	Support Max. Weight	15kg (33.07 lbs)
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2424X-S170200	White	Table Stand, support ≦21.5", max. support 15 kg, 75 x 75 / 100 x100 mm
ARES-2424X-S170201	Black	Table Stand, support ≦21.5", max. support 15 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm



ARES-2425X

VESA 100x100 mm/ 75x75 mm | MAX ~20 kg | Color Options:

Specifications

Net Weight		2.14 Kg (4.72 lbs)
Dimension (W x H x D)		241 x 340 x 280 mm (9.49" x 13.39" x 11.02")
Screw Type		M4
Material		Steel/Aluminum Alloy/Plastic
Hinge Module	Swivel	N/A
	Tilt	-2°(down) ~ +180°(up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦27"
	Support Max. Weight	20kg (44.09lbs)
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2425X-S271000	White	Table Stand, support ≦27", max. support 20 kg, 75 x 75 / 100 x100 mm
ARES-2425X-S271001	Black	Table Stand, support ≦27", max. support 20 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm



All product specifications are subject to change without notice

ARES-2 Series

Adjustable desk stands for industrial applications

ARES-2423R

VESA 100x100 mm/ 75x75 mm | MAX 6~12 kg | Color Options: ☐ ■

Specifications

Net Weight		3.12 Kg (6.88lbs)
Dimension (W x H x D)		222 x 432 x 252 mm (8.74" x 17.01" x 9.92")
Screw Type		M4
Material		Steel/Plastic/Aluminum
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦27"
	Thickness	≦8.5cm
	Support Weight (Range)	6~12Kg (13.23~26.46 lbs)
	Curved panel support weight (range)	≦5.5Kg (12.13lbs)
Height Adjust	Height Adjustment Range	130mm (5.12")
	Tension Torque Adjust	Yes
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2423R-A741L00	White	Table Stand, support 15" ~ 24", 6 ~ 12 kg, 75 x 75 / 100 x100 mm
ARES-2423R-A741L01	Black	Table Stand, support 15" ~24", 6 ~ 12 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm





ARES-2421R

VESA 100x100 mm/ 75x75 mm | MAX 2~8 kg | Color Options: ☐

Specifications

Net Weight		3.12 Kg (6.88lbs)
Dimension (W x H x D)		222 x 432 x 252 mm (8.74" x 17.01" x 9.92")
Screw Type		M4
Material		Steel/Plastic/Aluminum
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≦27"
	Thickness	≦8.5cm
	Support Weight (Range)	2~8Kg (4.41~17.64 lbs)
	Curved panel support weight (range)	≦5.5Kg (12.13lbs)
Height Adjust	Height Adjustment Range	130mm (5.12")
	Tension Torque Adjust	Yes
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2421R-HA74100	White	Table Stand, support 15" ~ 24", 2 ~ 8 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm





All product specifications are subject to change without notice

ARES-2 Series

Adjustable desk stands for industrial applications

ARES-2423S

VESA **100x100 mm/ 75x75 mm**

MAX **4~12 kg**

Color Options:

Specifications

Net Weight		4Kg (8.82lbs)
Dimension (W x H x D)		300 x 478 x 250 mm (11.81" x 18.82" x 9.84")
Screw Type		M4
Material		Steel/Plastic/Aluminum
Hinge Module	Swivel	360°
	Tilt	-5° ~ +20°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	24" ~ 34"
	Support Weight (Range)	4~12Kg (8.82~26.46lbs)
	Thickness	≦8.5cm
	Curved Panel size support	≦34"
	Curved panel support weight (range)	≦8Kg (17.64lbs)
Height Adjust	Height Adjustment Range	130mm (5.12")
	Tension Torque Adjust	Yes
Cable Management		Yes

Ordering Information

Part No.	Color	Product Description
ARES-2423S-A770L00	White	Table Stand, support 24" ~ 32", 4 ~ 12 kg, 75 x 75 / 100 x100 mm
ARES-2423S-A770L01	Black	Table Stand, support 24" ~ 32", 4 ~ 12 kg, 75 x 75 / 100 x100 mm

Dimensions

Unit: mm





All product specifications are subject to change without notice

Compatible Table

Get the latest version HERE

				Table Stand					
Model Name				ARES-2414X		ARES-2423X		ARES-2424X	
Part Number				ARES-2414X-S150200	ARES-2414X-S150201	ARES-2423X-S151000	ARES-2423X-S151001	ARES-2424X-S170200	ARES-2424X-S170201
Photo									
Max. support weight				~ 13kg	~ 13kg	~ 13kg	~ 13kg	15kg	15kg
Max. support panel size				10" ~ 17"	10" ~ 17"	10" ~ 17"	10" ~ 17"	≦ 21.5"	≦ 21.5"
Product description				Table Stand, support 10" ~17'',max. support 13 kg	Table Stand, support 10" ~17'',max. support 13 kg	Table Stand, support 10" ~17'',max. support 13 kg	Table Stand, support 10" ~17'',max. support 13 kg	Table Stand, support ≦ 21.5'', max. support 15 kg	Table Stand, support ≦ 21.5'', max. support 15 kg
Previous Product PN				UTC-S03-STAND0E HIT-STD-W001-C AIM-STD0-0000W	UTC-S03-STANDE				UTC-S01-STAND
System Model	Panel Size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm	75 x 75 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm
UTC-115	15.6"	2.4	100 x 100	- -	- -	Yes	Yes	Yes	Yes
UTC-120	21.5"	5.29	100 x 100	- -	- -	- -	- -	Yes	Yes
UTC-307	7"	0.95	75 x 75	Yes	Yes	- -	- -	- -	- -
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
UTC-315	15.6"	<4	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
UTC-318	18.5"	5	100 x 100	- -	- -	- -	- -	Yes	Yes
UTC-320	21.5"	6.5	100 x 100	- -	- -	- -	- -	Yes	Yes
UTC-510D	10.1"	1.8	75 x 75	Yes	Yes	- -	- -	- -	- -
UTC-510G	10.1"	1.8	75 x 75	Yes	Yes	- -	- -	- -	- -
UTC-515	15.6"	4.85	100 x 100	- -	- -	Yes	Yes	Yes	Yes
UTC-520E/F/G	21.5"	8	100 x 100	- -	- -	- -	- -	Yes	Yes
UTC-532	31.5"	18	100 x 100	- -	- -	- -	- -	- -	- -
UTC-542	42.5"	24.6	100 x 100	- -	- -	- -	- -	- -	- -
UTC-722	21.5"	16	200 x 200	- -	- -	- -	- -	- -	- -
UTC-723	31.5"	38	200 x 200	- -	- -	- -	- -	- -	- -
UTK-615AP	15.6"	5	100 x 100	- -	- -	- -	- -	- -	- -
UTK-615DP	15.6"	5	100 x 100	- -	- -	- -	- -	- -	- -
USC-130	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
USC-160	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
USC-250	15"	5.1	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
USC-M3	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
USC-M6	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
HIT-W183	18.5"	5.94	75 x 75 100 x 100	- -	- -	- -	- -	Yes	Yes
HIT-507	7"	1.2	75 x 75	- -	- -	- -	- -	Yes	Yes
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes
PAX-324	24"	7.6	75 x 75 100 x 100	- -	- -	- -	- -	- -	- -
PAX-327	27"	10.36	75 x 75 100 x 100	- -	- -	- -	- -	- -	- -
PAX-332	32"	12.5	75 x 75 100 x 100	- -	- -	- -	- -	- -	- -
PAX-355	55"	55	600x400	- -	- -	- -	- -	- -	- -
UTK-6023	23.8"		200 x 200	- -	- -	- -	- -	- -	- -
UTK-6031	31.5"		200 x 200	- -	- -	- -	- -	- -	- -
POC-421	21.5"	6.29	75 x 75 100 x 100	- -	- -	- -	- -	Yes	Yes
POC-424	23.8"	7.78	75 x 75 100 x 100			- -	- -	- -	- -
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-621	21.5"	6.29	75 x 75 100 x 100	- -	- -	- -	- -	Yes	Yes
POC-624	23.8"	7.78	75 x 75 100 x 100	- -	- -	- -	- -	- -	- -
POC-821	21.5"	7	75 x 75 100 x 100	- -	- -	- -	- -	Yes	Yes
POC-824	23.8"	8	75 x 75 100 x 100	- -	- -	- -	- -	- -	- -

Compatible Table

Get the latest version HERE

				Table Stand						
Model Name				ARES-2425X		ARES-2423R		ARES-2421R	ARES-2423S	
Part Number				ARES-2425X-S271000	ARES-2425X-S271001	ARES-2423R-A741L00	ARES-2423R-A741L01	ARES-2421R-HA74100	ARES-2423S-HA77000	ARES-2423S-HA77001
Photo										
Max. support weight				~ 20kg	~ 20kg	6 - 12kg	6 - 12kg	2 - 8kg	4 ~ 12kg	4 ~ 12kg
Max. support panel size				≦ 27''	≦ 27''	15" ~ 24"	15" ~ 24"	15" ~ 24"	24" ~ 32"	24" ~ 32"
Product description				Table Stand, support ≦ 27", max. support 20 kg	Table Stand, support ≦ 27", max. support 20 kg	Table Stand, support 15" ~ 24", 6 ~ 12 kg	Table Stand, support 15" ~24", 6 ~ 12 kg	Table Stand, support 15" ~24", 2 ~ 8 kg	Table Stand, support 24" ~ 32", 4 ~ 12 kg	Table Stand, support 24" ~ 32", 4 ~ 12 kg
Previous Product PN						HIT-STAND-HA741L-W	PDC-W215-STAND-H3E	PDC-W215-STAND-H2E		
System Model	Panel Size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm	75 x 75 mm 100x100 mm
UTC-115	15.6"	2.4	100 x 100	Yes	Yes	- -	- -	- -	- -	- -
UTC-120	21.5"	5.29	100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
UTC-307	7"	0.95	75 x 75	- -	- -	- -	- -	- -	- -	- -
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
UTC-315	15.6"	<4	75 x 75	Yes	Yes	Yes	Yes	Yes	- -	- -
UTC-318	18.5"	5	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes
UTC-320	21.5"	6.5	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes
UTC-510D	10.1"	1.8	75 x 75	- -	- -	- -	- -	- -	- -	- -
UTC-510G	10.1"	1.8	75 x 75	- -	- -	- -	- -	- -	- -	- -
UTC-515	15.6"	4.85	100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
UTC-520E/F/G	21.5"	8	100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
UTC-532	31.5"	18	100 x 100	- -	- -	- -	- -	- -	- -	- -
UTC-542	42.5"	24.6	100 x 100	- -	- -	- -	- -	- -	- -	- -
UTC-722	21.5"	16	200 x 200	- -	- -	- -	- -	- -	- -	- -
UTC-723	31.5"	38	200 x 200	- -	- -	- -	- -	- -	- -	- -
UTK-615AP	15.6"	5	100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
UTK-615DP	15.6"	5	100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
USC-130	11.6"	2	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
USC-160	15.6"	3	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
USC-250	15"	5.1	75 x 75	Yes	Yes	- -	- -	Yes	- -	- -
USC-M3	11.6"	2	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
USC-M6	15.6"	3	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	- -	- -	Yes	- -	- -
HIT-W183	18.5"	5.94	75 x 75 100 x 100	Yes	Yes	- -	- -	Yes	- -	- -
HIT-507	7"	1.2	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	- -	- -	- -	- -	- -
PAX-324	24"	7.6	75 x 75 100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
PAX-327	27"	10.36	75 x 75 100 x 100	Yes	Yes	- -	- -	- -	Yes	Yes
PAX-332	32"	12.5	75 x 75 100 x 100	- -	- -	- -	- -	- -	Yes	Yes
PAX-355	55"	55	600x400	- -	- -	- -	- -	- -	- -	- -
UTK-6023	23.8"		200 x 200	- -	- -	- -	- -	- -	- -	- -
UTK-6031	31.5"		200 x 200	- -	- -	- -	- -	- -	- -	- -
POC-421	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -	- -
POC-424	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -	- -
POC-621	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -	- -
POC-624	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes
POC-821	21.5"	7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -	- -
POC-824	23.8"	8	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes