ARES-5222A

Dual arm wall-mount workstation



VESA 100x100/75x75 mm MAX 2 ~ 10 kg

VESA	Tilt	Rotate	Swivel
100x100 75x75(mm)	+90° -20°	360°	±90°

Cable Management	Height Adjust	Torque Adjust
	+65° -30°	

Dimensions

Unit: mm



Specifications

Complete System	Net Weight		2.10 kg (4.63 lbs)
	Dimension (W x H x D)		613 x 451 x 113 mm (24.13" x17.76" x 4.45")
	Screw Type		M4
	Material		Steel/Aluminum Alloy/Plastic
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	-20° ~ + 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Panel Size Support	≦ 32"
		Support Weight (Range)	2~10Kg (4.41~22.05lbs)
	Height Adjust	Height Adjustment Range (Arm)	315 mm (12.4")
		Tension Torque Adjust	Yes
		Tilt (Arm)	-30°(down) ~ +65°(up)
	Max. Distance To TheWall		613 mm (24.13")
	Min. Distance To TheWall		97 mm (3.82")
	Extended ArmProvided		2
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5222A-ATW2000	Wall Arm, support ≦ 32", support 2 ~ 10 kg, 75 x 75 / 100 x 100 mm

All product specifications are subject to change without notice

Last updated: 27-Jul-2022

ARES-5221B

Single arm wall-mount workstation

VESA 100x100/75x75 mm MAX 2 ~ 8 kg



Dimensions

Unit: mm



Specifications

Complete System	Net Weight		9.26 kg (20.42lbs)
	Dimension (W x H x D)		956 x 926 x 333 mm (37.64" x 36.46" x 13.11")
	Screw Type		M4
	Material		Steel/Plastic/Aluminum
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	-5° ~ + 35°
		Tilt (Keyboard)	0 ~ 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Display Type	Singal Monitor
		Panel Size Support	≦ 27"
		Support Weight (Arm)	2~8kg (4.4~17.6lbs)
		Support Weight (Keyboard)	2.5kg(5.5lbs)
	Height Adjust	Height Adjustment Range (Display & KeyBoard Tray) / (Arm)	124mm(4.88") / 436mm(17.27")
		Tension Torque Adjust	Yes
		Tilt (Arm)	- 30° ~ + 65°
	Max.Working Space		449 x 207 mm (17.68" X 8.15") for Keyboard Tray
	Extended ArmProvided		1
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5221B-ORW1000	Workstation, support ≦ 27", 2 ~ 8 kg, single Arm with Keyboard tray, 75x75 / 100 x 100 mm

All product specifications are subject to change without notice

Last updated: 27-Jul-2022

ARES-5221C

Dual arm wall-mount workstation

VESA 100x100/75x75 mm MAX 2 ~ 8 kg

VESA	Tilt	Rotate	Swivel
100x100 75x75(mm)	+35° -5°	360°	±90° ±90°

Cable Management	Height Adjust	Torque Adjust
	124mm	

Dimensions

Unit: mm





Specifications

Complete System	Net Weight		11.41 kg (25.16lbs)
	Dimension (W x H x D)		1346 x 925.3 x 322 mm (52.99" x 36.43" x 12.68")
	Screw Type		M4
	Material		Steel/Plastic/Aluminum
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	-5° ~ + 35°
		Tilt (Keyboard)	0 ~ 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Display Type	Singal Monitor
		Panel Size Support	≦ 27"
		Support Weight (Arm)	2~8kg (4.4~17.6lbs)
		Support Weight (Keyboard)	2.5kg (5.5lbs)
	Height Adjust	Height Adjustment Range (Display)	124mm (4.88") / 436mm (17.27")
		Tension Torque Adjust	Yes
		Tilt (Arm)	-30° ~ + 65°
	Max.Working Space		449 x 207 mm (17.68" X 8.15") for Keyboard Tray
	Extended ArmProvided		2
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5221C-ORW2000	Workstation, support ≦ 27", 2 ~ 8 kg, dual arm with Keyboard tray, 75x75 / 100 x 100 mm

ARES-5221O

Single arm wall-mount workstation

VESA 100x100/75x75 mm MAX 2 ~ 8 kg



Dimensions

Unit: mm



Specifications

Complete System	Net Weight		7.11 kg (15.68lbs)
	Dimension (W x H x D)		730.6 x 486 x 282 mm (28.76" x 19.13" x 11.10")
	Screw Type		M4
	Material		Steel/Plastic/Aluminum
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	-5° ~ + 35°
		Tilt (Keyboard)	0 ~ 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Display Type	Singal Monitor
		Panel Size Support	≦ 27"
		Support Weight (Arm)	2~8kg (4.41~17.64lbs)
		Support Weight (Keyboard)	2.5kg (5.5lbs)
	Height Adjust	Height Adjustment Range (Display)	124mm (4.88")
		Tension Torque Adjust	Yes
		Tilt (Arm)	N/A
	Max.Working Space		449 x 207 mm (17.68" X 8.15") for Keyboard Tray
	Extended ArmProvided		1
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5221O-OEW1000	Workstation, 75x75 / 100x100 mm, ≦ 27",support 2 ~ 8kg, single arm w/KB tray

All product specifications are subject to change without notice

Last updated: 27-Jul-2022

ARES-5112D

Rail wall-mount workstation

VESA 100x100/75x75 mm MAX 2 ~ 10 kg

VESA	Tilt	Rotate	Swivel
100x100 75x75(mm)	+90° -20°	360°	±90°

Cable Management	Height Adjust	Torque Adjust
	+65° -30°	

Dimensions

Unit: mm



Specifications

Complete System	Net Weight		10.10 kg (22.27lbs)
	Dimension (W x H x D)		581 x 880 x 201 mm (22.87" x 34.65" x 7.91")
	Screw Type		M4
	Material		Steel/Aluminum Alloy/Plastic
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	-20° ~ + 90°
		Tilt (Keyboard)	0 ~ 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Display Type	Singal Monitor
		Panel Size Support	≦ 32"
		Support Weight (Arm)	2 ~ 10 kg
		Support Weight (Keyboard)	2.5kg (5.5lbs)
	Height Adjust	Height Adjustment Range (Display)	315 mm (12.40")
		Tension Torque Adjust	Yes
		Tilt (Arm)	-30° ~ + 65°
	Max.Working Space		449 x 207 mm (17.68" X 8.15") for Keyboard Tray
	Extended ArmProvided		1 / 2
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5112D-W881200	Workstation, 75x75 / 100x100 mm, support ≦ 32", 2 ~ 10 kg, rail tray with Keyboard tray

All product specifications are subject to change without notice

Last updated: 27-Jul-2022

ARES-5223D

Single arm dual display wall-mount workstation

VESA 100x100/75x75 mm MAX 6 ~ 12 kg



Dimensions

Unit: mm



Specifications

Complete System	Net Weight		11.8kg (26.01lbs)
	Dimension (W x H x D)		1194 x 995 x 956 mm (47" x 39.17" x 37.64")
	Screw Type		M4
	Material		Steel/Plastic/Aluminum
Display System	Hinge Module	Swivel (Hinge)	±90°
		Tilt (Hinge)	0 ~ 30°
		Tilt (Keyboard)	0 ~ 90°
		Pivot	360°
		User Torque Adjust	Available
	Display Support	Mounting Pattern	100x100 / 75x75 mm
		Display Type	Dual Monitor
		Panel Size Support	≦ 24"
		Support Weight (Arm Total)	6 ~ 12kg (13.2 ~ 26.5.6lbs)
		Support Weight (Keyboard)	2.5kg (5.5lbs)
	Height Adjust	Height Adjustment Range (Display) / (Arm)	124mm (4.88") / 436mm (17.27")
		Tension Torque Adjust	Yes
		Tilt (Arm)	-30° ~ + 65°
	Max. Distance To TheWall		449 x 207 mm (17.68" X 8.15") for Keyboard Tray
	Extended Arm Provided		1
	Cable Management		Yes

Ordering Information

Part No.	Product Description
ARES-5223D-W12EM00	Workstation, ≦ 24",support 6 ~ 12kg, dual display, w/KB tray, 75x75 / 100x100 mm

Compatible Table

Get the latest version HERE

				Workstation					
Model Name				ARES-5222A	ARES-5221C	ARES-5221O	ARES-5112D	ARES-5221B	ARES-5223D
Part Number				ARES-5222A-ATW2000	ARES-5221C-ORW2000	ARES-5221O-OEW1000	ARES-5112D-W881200	ARES-5221B-ORW1000	ARES-5223D-W12EM00
Photo									
Max. support weight				2~10kg	2~8kg	2~8kg	2~10kg	2~8kg	6 ~ 12 kg
Max. support panel size				≦32"	≦27"	≦27"	≦32"	≦27"	≦24"
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	Wall Arm, support ≦32", support 2 ~ 10 kg	Workstation, support ≦27", 2 ~ 8 kg, dual arm with Keyboard tray	Workstation, support ≦27", 2 ~ 8 kg, single arm with Keyboard tray	Workstation, support ≦32", 2 ~ 10 kg, rail tray with Keyboard tray	Workstation, support ≦27", 2 ~ 8 kg, single Arm with Keyboard tray	Workstation, 75x75 / 100x100 mm, ≦24",support 6 ~ 12kg, dual display, w/KB tray
UTC-115	15.6	2.4	100 x 100	Yes	Yes	Yes	Yes	Yes	- -
UTC-120	21.5	5.29	100 x 100	Yes	Yes	Yes	Yes	Yes	- -
UTC-307	7"	0.95	75 x 75	- -	- -	- -	- -	- -	- -
UTC-310	10.1"	1.12	75 x 75	- -	- -	- -	- -	- -	- -
UTC-315	15.6"	<4	75 x 75	- -	- -	- -	- -	- -	- -
UTC-318	18.5"	5	100 x 100	- -	- -	- -	- -	- -	- -
UTC-320	21.5"	6.5	100 x 100	- -	- -	- -	- -	- -	Yes
UTC-510D	10.1"	1.8	75 x 75	- -	- -	- -	- -	- -	- -
UTC-510G	10.1"	1.8	75 x 75	- -	- -	- -	- -	- -	- -
UTC-515	15.6"	4.85	100 x 100	- -	- -	- -	- -	- -	- -
UTC-520E/F/G	21.5"	8	100 x 100	- -	- -	- -	- -	- -	Yes
UTC-532	31.5"	18	100 x 100	- -	- -	- -	- -	- -	Yes
UTC-542	42.5"	24.6	100 x 100	- -	- -	- -	- -	- -	Yes
UTC-722	21.5"	16	200 x 200	- -	- -	- -	- -	- -	Yes
UTC-723	31.5"	38	200 x 200	- -	- -	- -	- -	- -	Yes
UTK-615AP	15.6"	5	100 x 100	- -	- -	- -	- -	- -	- -
UTK-615DP	15.6"	5	100 x 100	- -	- -	- -	- -	- -	- -
HIT-W153	15.6	4.7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -
HIT-W183	18.5	5.94	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	- -
HIT-507	7"	1.2	75 x 75	Yes	Yes	Yes	Yes	Yes	- -
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	Yes	Yes	Yes	- -
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	Yes	Yes	Yes	- -
PAX-324	24"	7.6	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
PAX-327	27"	10.36	75 x 75 100 x 100	--	--	--	--	--	--
PAX-332	32"	12.5	75 x 75 100 x 100	--	--	--	--	--	--
PAX-355	55"	55	600 x 400	--	--	--	--	--	--
POC-421	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-424	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	
POC-621	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	
POC-624	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	
POC-821	21.5"	7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	
POC-824	23.8"	8	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	